## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

- 1. (Cancelled).
- 2. (Currently Amended) An isolated polynucleotide molecule according to Claim 27, said polynucleotide comprising a nucleotide sequence given in SEQ ID NO:1, or a sequence showing at least 80% homology to said sequence.
  - 3-4. (Cancelled).
- 5. (Currently Amended) The isolated polynucleotide according to Claim 29, which is comprised in plasmid Plasmid pSY42, deposited in S. lividans strain TK24/pSY42 with the deposition number DSM 12451.
- 6. (Currently Amended) The isolated polynucleotide according to Claim 29, which is comprised in plasmid Plasmid pSY43, deposited in S. lividans strain TK24/pSY43 with the deposition number DSM 12452.

## 7-11. (Cancelled)

- 12. (Currently Amended) A process for the production of hybrid polyketides compounds, comprising transferring at least one polynucleotide according to claim 27 into a host cell selected from the group consisting of enogy, enog
- 13. (Currently Amended) The process according to claim 12, wherein the polynucleotide is SEQ ID NO: 9 which is snoaL encoding NAME nogalonic acid methyl ester cyclase, and wherein the host is transferred into a Streptomyces host.

- 14. (Currently Amended) The process according to claim 12, wherein the polynucleotide is SEQ ID NO: 12 which is at least one of snogD and or SEQ ID NO: 14 which is snogE encoding glycosyl transferases, and wherein the host is transferred into a Streptomyces host.
- 15. (Previously Presented) The process according to claim 12, wherein at least one of snogJ, snogN, snogC, snogK and snogA affecting the formation of nogalamine and nogalose is transferred into a Streptomyces host.
- 16. (Currently Amended) A recombinant polynucleotide according to Claim 27, which comprises the polynucleotide molecule according to claim 2, is cloned in a plasmid capable of replicating in Streptomyces.
- 17. (Currently Amended) The recombinant polynucleotide according to claim 16, which is plasmid pSY15c, comprising a 1.4 kb BamHI SacI fragment from plasmid pSY42 and a 1.1 kb MluI KpnI fragment from plasmid pSY43.
- 18. (Currently Amended) A process for the production of hybrid polyketides empounds, comprising transferring the polynucleotide molecule according to claim 2 into a Streptomyces host to obtain a recombinant strain, cultivating the recombinant strain obtained, and isolating the empounds polyketides produced.
- 19. (Previously Presented) The process according to claim 18, wherein the Streptomyces host is a Streptomyces galilaeus host.
- 20. (Currently Amended) The process according to claim 19, wherein the Streptomyces galilaeus host is selected from strains consisting of H026, H039, H063 and H075, which are mutant strains of S. galilaeus ATCC 31615.

21. (Currently Amended) The process according to claim 19, wherein an anthracycline of formula I is produced; which formula I

22. (Currently Amended) The process according to claim <u>18</u> <del>19</del>, wherein an anthracyclinone of formula II is produced:, which has the following formula II

23-26. (Cancelled).

- 27. (New) An isolated polynucleotide, wherein the polynucleotide remains hybridized with a nucleic acid molecule that encodes an amino acid sequence of SEQ ID NO: 2, 3, 4, 5, 6, 7, 8, 9, 10, 11,12,13, 14, 15, 16, 17 or 18, at 70 °C according to Boehringer Mannheim's manual "DIG System User's Guide for Filter Hybridization."
- 28. (New) An isolated polynucleotide according to Claim 27, wherein the polypeptide molecule comprises the sequence of SEQ ID NO: 2, 3, 4, 5, 6, 7, 8, 9, 10, 11,12,13, 14, 15, 16, 17 or 18.

29. (New) An isolated polynucleotide according to claim 27, wherein the polynucleotide is comprised in plasmid pSY42 deposited in S. lividans strain TK24/pSY42 with a deposition number DSM 12451, or in plasmid pSY43, deposited in S. lividans strain TK24/pSY43 with a deposition number DSM 12452.